TRANSMITTAL FORM OEC 19 2005
Total number of pages in this submission

	Application Number	10/605,169	
	Filing Date	09/12/2003	
	First Named Inventor	Norman W. Robson	
	Group Art Unit	2825	
	Examiner Name	Nohia Doan	
	Attorney Docket No.	FIS920030257US1	

ENCLOSURES

	ENCLOSURES			
X	Fee Transmittal Form - Fee attached	Assignment Papers		
X	Amendment	Declaration and Power of Attorney		
	After Final Declarations	Drawings		
	Extension of Time Request	Petition		
	Express Abandonment Request	Power of Attorney (Associate)		
	Information Disclosure Statement	Terminal Disclaimer		
	Certified Copy of Priority Documents	Appeal		
	Response to Missing Parts - Incomplete	Status Letter		
	Response to Missing Parts - Under 37 CFR 11.52 or 1.53	Other		

The Filing Fee has been calculated as shown below:

For:	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PAID FOR	Rate	Fee
Total Claims	20	20	\$50.	\$0.00
Indep Claims	3	3	\$200.	\$0.00
			Total	\$0.00

X	Please charge Deposit Account No. 09/0458 of International Business Machin	nes
Con	poration in the amount of \$0.00	

X The Commissioner is hereby authorized to charge any additional fees required herewith or credit any overpayment to Deposit Account No. 09/0458

4 W	6 phale	December 16, 2005
Eric W. Petraske	Registration No. 28,459	Date

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, U.S. Patent and Trademark Office, Alexandria, VA 22313-1450 on this date: December 16, 2005

Elu beltastis

Eric W. Petraske

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE In re application of: Norman W. Robson Serial No. 10/605,169 Title: Using a Partial Metal Level Mask for Early Test Results IN THE UNITED STATES PATENT AND TRADEMARK OFFICE Filed: 09/12/2003 Examiner: Nohia Doan Group Art Unit: 2825 Docket #: FIS920030257US1

AMENDMENT

Commissioner of Patents & Trademarks Alexandria, VA 22313

Sir:

Responsive to the Office Action of 09/16/2005, please amend the above identified application as follows: